

Queries to Index Fields

Package Version 1.56 and later
Query 1
<pre>select id from smagicinteract__smsMagic__c where (smagicinteract__Unformatted_Phone_Number__c in :phoneValues or smagicinteract__PhoneNumber__c in :phoneValues) and smagicinteract__senderid__c = :inboundNumber limit 1</pre>
Query 2
<pre>select id from smagicinteract__Conversation__c where smagicinteract__Sender__r.smagicinteract__senderId__c in :senderIDSet and smagicinteract__Mobile_Number__c = :mobileSet and smagicinteract__State__c = \'Open\' and ownerId = :userID order by createddate desc</pre>
Fields
<pre>•smagicinteract__Unformatted_Phone_Number__c•smagicinteract__PhoneNumber__c of smagicinteract__smsMagic__c•smagicinteract__Mobile_Number__c of smagicinteract__Conversation__c</pre>
<pre>select id from smagicinteract__smsMagic__c where smagicinteract__Direction__c = :directionValue and (smagicinteract__Lead__c = null OR smagicinteract__lead__r.isconverted = false) and (smagicinteract__Unformatted_Phone_Number__c in :phoneValues or smagicinteract__PhoneNumber__c in :phoneValues) and smagicinteract__senderid__c in :outgoingSenderIds order by smagicinteract__CreatedOn__c desc NULLS LAST limit 1</pre>

Package Version 1.51
Query
<pre>select id from smagicinteract__smsMagic__c where (smagicinteract__Unformatted_Phone_Number__c in :phoneValues or smagicinteract__PhoneNumber__c in :phoneValues) and smagicinteract__senderid__c = :inboundNumber limit 1</pre>
Fields to Index
<pre>•smagicinteract__Unformatted_Phone_Number__c•smagicinteract__PhoneNumber__c of smagicinteract__smsMagic__c</pre>

Package Version 1.50
Query
<pre> select id from smagicinteract__smsMagic__c where (smagicinteract__Unformatted_Phone_Number__c in :phoneValues or smagicinteract__PhoneNumber__c in :phoneValues) and smagicinteract__senderid__c = :inboundNumber limit 1select id from smagicinteract__Conversation__c where smagicinteract__Sender__r.smagicinteract__senderId__c in :senderIDSet and smagicinteract__Mobile_Number__c = :mobileSet and smagicinteract__State__c = \'Open\' and ownerId = :userID order by createddate desc </pre>
Fields to Index
<pre> •smagicinteract__Unformatted_Phone_Number__c•smagicinteract__PhoneNumber__c of smagicinteract__smsMagic__c•smagicinteract__Mobile_Number__c of smagicinteract__Conversation__c </pre>

Package Version 1.48 or earlier
Query
<pre> select id from smagicinteract__smsMagic__c wheresmagicinteract__PhoneNumber__c in :MobNum1 order by createdDate desc limit 1 </pre>
Fields to Index
<pre> smagicinteract__PhoneNumber__c of smagicinteract__smsMagic__c </pre>